

SF9.2A: Assessment of physical infrastructure of a training centre without residential facilities

Note: See 'standards and Instructions for assessment' given below before assigining the marks

| Sl. No | Parameter | Marks Allotted | Marks Obtained |
|-----------|---|-------------------|----------------|
| 1 | RCC Roof | 5 | |
| 2 | Type of Building | 10 | |
| 3 | Roof (Ceiling) Height | 5 | |
| 4 | Counselling Room | 5 | |
| 5 | Look and Feel | 12 | |
| 6 | Toilets | 8 | |
| 7 | Silent Genset | 5 | |
| 8 | Distance from nearest public transport to training facility | 10 | |
| 9 | Open Space | 5 | |
| 10 | Wi-Fi Campus | 5 | |
| 11 | Internet Speed | 5 | |
| 12 | Area in Classroom/Separate | 15 | |



| Sl. No | Parameter | Marks Allotted | Marks Obtained |
|-----------|---------------------------|-------------------|----------------|
| | Practical lab | | |
| 13 | TLM in Tablets/Desktops | 5 | |
| 14 | Computer Specification | 5 | |
| | Total | 100 | |
| Sl. No | Parameter | Marks Allotted | Marks Obtained |

Standards and Instruction for assessment

Note: Marks are assigned for each category if it fulfills a criteria. Otherwise '0' marks are assigned in that category.

| Sl. No. | Criteria for Grading | Marks | Proof/Sample for verification |
|------------|---|-------|---|
| 1 | If all rooms have RCC roof* | 5 | All rooms should be physically verified. Photographs should be taken for proof. |
| 2 | Independent Building with enclosed compound wall or An academic institute with an independent campus with enclosed compound wall. | 10 | Confirm by physical verification |
| | Class rooms in an academic institute within a campus with enclosed compound wall. | 5 | Confirm by physical verification |
| 3 | If roof height is More than 11 ft. | 5 | 3 rooms will be verified. |



| Sl. No. | Criteria for Grading | Marks | Proof/Sample for verification |
|------------|--|-------|-----------------------------------|
| | If roof height is More than 10 ft but less than or equal to 11 ft. | 3 | Minimum height will be considered |
| | if roof height is below or equal to 10 ft. | 0 | |
| 4 | Separate from Office with a minimum of 100 Sq. ft. space. | 5 | Confirm by physical verification |
| 5 | External and Internal - All walls and internal roofs including compound walls should be plastered and white washed or painted. At the time of assessment the team should check the following: 3 rooms chosen randomly for | | Confirm by physical verification |
| | detailed check. During the check no exposed cement/brick surfaces should be visible. | | |
| | During a casual walk along the corridors of centre no conspicuous exposed cement/brick surfaces should be seen | | |
| | The internal and outside areas of compound wall. The walls should be checked from a distance 20-30 feet and no exposed cement/brick patches should be visible. | | |



| Sl. No. | Criteria for Grading | Marks | Proof/Sample for verification |
|------------|--|-------|-------------------------------|
| | If centre clears the three | | |
| | parameters then it meets the | | |
| | criterion for getting the marks on | | |
| | this count. | | |
| | (Note: If surfaces are given a | | |
| | different treatment - like have stone | | |
| | cladding, exposed brick work; then | | |
| | these areas need not be painted. In | | |
| | this case a PIA should state that | | |
| | upfront before the assessment | | |
| | starts. The assessment team can | | |
| | assign marks if they agree | | |
| | unanimously on aesthetics of | | |
| | treatment. In case there is no | | |
| | unanimity no marks will be allotted. | | |
| | If PIA does not agree with the | | |
| | assessment PIA can refer the matter to the National Assessment Team at | | |
| | NIRD&PRalong with time stamped, | | |
| | geo tagged video or photographic | | |
| | evidence. The committee can judge | | |
| | the surface treatment and decide on | | |
| | marks to be allotted and it is | | |
| | binding on all agencies). | | |
| | Signage Visibility - State | | |
| | Government Logo, DDU-GKY Logo | | |
| | should be clearly visible at least | | |
| | from a distance of 100 mtrs during | | |
| | night and day. | | |
| | Signage Quality - The boards are | | |
| | made of hard metal without any | | |
| | undulations and painted with good | | |
| | quality paint. Electronic boards | | |
| | (LED/LCD) can also be awarded | | |
| | marks if they follow DDU-GKY | | |
| | specifications for look and feel. | | |



| Sl. No. | Criteria for Grading | Marks | Proof/Sample for verification | |
|------------|--|-------|---|--|
| | External/Internal look - Painting of compound wall and the building. | 4 | | |
| | Signage Visibility - visible from 100m from the centre | 4 | | |
| | Signage Quality | 4 | | |
| 6 | Toilets and Urinals should have a roof (either RCC or Non RCC) and the floor and the walls should be tiled/stone paved. Unpaved or cement paved surfaces will not be given any marks | 5 | Confirm by physical verification | |
| 7 | Silent genset should be used supported by manufacturer's supporting literature that is is a silent genset. | 5 | Confirm by physical verification | |
| 8 | Distance from one of the following: City bus Stand Railway Station (local) Sharing Auto Stand | 10 | Confirm by any one of the following: By physical measurement google map google earth | |
| | Less than equal to 1 K.M from training centre | | WikimapiaOr any other web source | |
| 9 | For physical activity and outdoor games. The place can be owned/hired/lease or arrangements can be made with public authorities for using parks and other open spaces. | | Confirm by physical verification | |
| | More than equal to 1000 yards | 5 | | |
| | More than 750 but less than equal to 999 yards | 4 | | |



| Sl. No. | Criteria for Grading | Marks | Proof/Sample for verification |
|------------|--|-------|--|
| | More than 500 but less than equal to 749 yards | 2 | |
| | Less than equal to 500 yards | 0 | |
| 10 | Wi-fi campus | 5 | Confirm by physical verification |
| 11 | Networked Computers - 2 mbps | L | Confirm by bill payment or |
| | Non-Networked - 1 mbps per system | 5 | any other proof |
| | More than 25 sq. ft. per candidate | 15 | |
| 12 | More than 20sq. ft. but less than equal to 25 sq. ft. per candidate | 10 | Confirm by physical verification. All classrooms to be verified |
| | More than 15 sq. ft. but less than equal to 20 sq. ft. | 5 | |
| | Less than equal to 15 sq. ft. | 0 | |
| 13 | TLM should be uploaded in the tablets/desktops in pdf format. | 5 | Checked on random basis in tablets/desktops |
| 14 | Windows® 8 Standard, Enterprise, or Professional edition, Windows® 7 Enterprise, Ultimate, Professional, or Home Premium edition operating system Intel i3, or i5 series processor or comparable 4 GB RAM 500 GB Hard Drive 1,366 x 768 display resolution Minimum 14" screen | 5 | Confirm from system for at least 5 systems and with a statement from the centre incharge all of the computers have the above specifications. |

Note*: If any parameter is designed in a non-traditional pattern but has aesthetic appeal and useful in training it will be evaluated accordingly. In such cases the assessment team should record all technical details with a video footage or photgraphic evidence(carrying time stamped and geo tagged identity) and send it to



NIRD&PR. After assessing it NIRD&PRteam will take the appropriate action independently or in consultation with professionals.

Team for Assessment: One person from CTSA for YPS / SRLM for APS and centre in charge of the particular centre.